



ASSEMBLY & INSTALLATION INSTRUCTIONS

D7

Snaps Triple Strap - Glass or Alabaster 902821



GLASS OPTION



ALABASTER OPTION

Component Parts

- A Leather Strap**
- B Female Snap (4)**
- C Male Snap (12)**
- D Housing (3)**
- E LED Board (6)**
- F Stud (3)**
- G Knob (6)**
- H Alabaster (6)**
- I Frosted Lens (6)**
- J Glass (6)**

Snaps Triple Strap - Glass or Alabaster 902821


CAUTION: FAILURE TO INSTALL THIS FIXTURE PROPERLY MAY RESULT IN SERIOUS PERSONAL INJURY OR DEATH AND PROPERTY DAMAGE. We recommend installation by a licensed electrician. This product must be installed in accordance with applicable installation code(Q), by a person familiar with the construction and operation of the product and the hazards involved.

Please Note: After installation extra hardware and accessories are possible; our kits are used on multiple products.

To Install Leather (Figure 1)

CAUTION: BE SURE POWER IS OFF AT THE MAIN BREAKER BOX PRIOR TO INSTALLATION.

1. Carefully unpack leather strap (A).
2. Align female snaps (B) on leather strap (A) with male snaps (C) on fixture leather.
3. Press firmly to lock all snaps (B & C) together.
4. Continue install on following pages.



(Figure 1)



Snaps Triple Strap - Glass or Alabaster 902821

To Assemble Alabaster Option (Figure 2)

1. Locate stud (F) with knobs (G) attached. Remove one knob (G) and retain for later step.
2. Carefully unpack alabaster (H), housing (D), and LED boards (E).
3. Slide housing (D) over leather strap (A) and center over male snaps (C).
4. Locate (+) side of leather strap. Align (+) side of LED board (E) with leather strap and pop led board onto snaps. Be sure both snaps on board engage fully.
5. Repeat steps for LED board (E) on opposite side, being sure (+) side is aligned with (+) side of leather strap (A).
6. Slide stud (F) through alabaster (H), hole in leather strap (A), and second piece of alabaster (H).


Note: Be careful not to harm LED boards (E) when assembling.

7. Thread knob (G) onto stud (F) and tighten to secure alabaster (H) around housing (D).

Note: Be careful not to overtighten as this could break alabaster.

8. Repeat for remaining LEDs and Alabaster.
9. Restore electricity at main breaker.

NOTE: If any LED Boards do not light, remove alabaster and check orientation of (+) and (-) sides of board. LED board might need to be rotated on leather strap.



(Figure 2)



Snaps Triple Strap - Glass or Alabaster 902821

To Assemble Glass Option (Figure 3)

1. Locate stud (F) with knobs (G) attached. Remove one knob (G) and retain for later step.
2. Carefully unpack glass (J), lenses (I), housings (D) and LED boards (E).
3. Slide housing (D) over leather strap (A) and center over male snaps (C).
4. Locate (+) side of fixture/leather strap. Align (+) side of LED board (E) with leather strap and pop led board onto snaps. Be sure both snaps on board engage fully.
5. Repeat steps for LED board (E) on opposite side, being sure (+) side is aligned with (+) side of fixture/leather strap (A).
6. Locate lenses (I). Align clip on lens (I) with notch in LED board (E). Insert clip into notch and rotate lens (I) slightly until it engages with LED board (E). Repeat for remaining lens (I).
7. Slide stud (F) through glass (J), lens (I), hole in leather strap, second lens (I) and second piece of glass (J).


Note: Be careful not to harm LED boards when assembling.

8. Thread knob (G) onto stud (F) and tighten to secure glass (J) around housing (D).

Note: Be careful not to overtighten as this could break glass.

9. Repeat for remaining LEDs and Glass.
10. Restore electricity at main breaker.

NOTE: If any LED Boards do not light, remove glass and lenses and check orientation of (+) and (-) sides of board. LED board might need to be rotated on leather strap.



(Figure 3)



HUBBARDTON FORGE.

Product Care & Cleaning:

Leather: Leather is a natural product and straps can have variations in color and imperfections in the hides. This leather can be oiled or dyed to enhance the look. For cleaning, wipe entire surface with a soft cloth and cool water to even out any abrasions or stains. Do not spot rub, for it will darken only that area. Occasional use of Aniline Leather Cleaner, Conditioner, & Protector, or Aniline Leather Maintenance Kit is recommended. Other leather cleaners such as saddle soap or household cleaners that may contain harsh chemicals, alcohol, or ink removers should never be used.

Alabaster: Use a dry soft cloth or a “feather duster” to remove any dust accumulation. Raw alabaster should not be polished with wax, or cleaned with wet or acidic cleaners.

If you need further assistance, or find that you are missing any parts, please contact the dealer from which you purchased this product. We hope you enjoy your fixture!

** Hubbardton Forge will not be liable for injury or damage caused by improper installation, lamping or use of this fixture.*



HUBBARDTON FORGE.